

CRAFTING IDEA

Jewellery pendant with stickers

WWW.RAYHER.COM

GB

Used items:

Rectangular pendant with bus

36 023 000 Casting mould: Tag Rectangle

34 166 000 Jewellery-cement 59 497 000 Sticker Days in London

22 674 21 Ring, wide

22 661 21 Element chain stainless steel, 60 cm

Oval pendant with cab

36 056 000 Ring, 8mm ø, gold 34 166 000 Jewellery-cement 59 497 000 Sticker Days in London 22 674 21 Ring, wide, platinum

22 661 21 Element chain stainless steel, 60 cm

Rectangular pendant with Ferris wheel

36 023 000 Casting mould: Tag Rectangle 34 166 000 Jewellery-cement

59 497 000 Sticker Days in London 22 674 21 Ring, wide, platinum

22 661 21 Element chain stainless steel, 60 cm 89 541 00 Flat round pliers for jewellery

Instructions:

- 1 To cast the jewellery-cement-pendant you need an elastic casting mould, a digital scale and a small plastic container as well a craft wooden stick for stirring. The mixing ratio:
- 1 part of water: 5 parts of jewellery-cement.
- 2 First, weigh the water in a cup and then add gradually the jewellery-cement. Stir it with a craft wooden stick until a homogeneous mass arises.
- 3 Now, you can fill the mould with the casting compound. The mould should always be cleaned with detergent and water before being filled. If bubbles occur, you should tap few times the mould on the pad.
- 4 The temperature and the current air humidity determine the drying time. It is however advisable to demould the pendant only the next day. Allow post drying.



- 5 The upper side, in other words the subsequent reverse side, you can rectify with some fine sandpaper.
- 6 Remove the corresponding sticker from the card and place it on the pendant.
- 7 Open wide the ringlet by using two flat pliers.

Hold firmly the ringlet with one pair of pliers while the gap of the ringlet is facing up, then open the ringlet backwards by using the second pair of

Hang in the jewellery-cement pendant and the linked chain, then close the ringlet by using the both pliers.

Rayher.

WWW.RAYHER.COM

You will find material specifications and instructions on our homepage.

© 2016, Rayher Hobby GmbH